NBIC Cross Reference			
NBIC-2015 Part 1 Paragraphs Duplicated in Part 4			
NBIC 2015	New Part 4	Part 4 Heading	
Part 1 Section 2			
2.3.1	2.2.11	Supports, Foundations, and Settings	
2.9	2.2	Pressure Relief Valves For Power Boilers	
2.9.1	2.2.1	General Requirements	
2.9.1.1	2.2.2	Number	
2.9.1.2	2.2.3	Location	
2.9.1.3	2.2.4	Capacity	
Table 2.9.1.3	Table 2.2.4.1	Minimum Pounds of Steam per hour per square foot of Heating Surface	
2.9.1.4	2.2.5	Set Pressure	
2.9.2	2.2.6	Forced- flow Steam Generators	
2.9.3	2.2.7	Superheaters	
2.9.4	2.2.8	Economizers	
2.9.5	2.2.9	Pressure-Reducing Valves	
2.9.6	2.2.10	Installation and Discharge Requirements	
Part 1 Section 3	3		
3.9	2.4	Pressure Relief Valves for Steam Heating, Hot-Water Heating, and Hot Water Supply Boilers	
3.9.1	2.4.1	General Requirements	
3.9.1.1	2.4.1.1	Installation of Pressure Relief Valves for Heating Boilers	
3.9.1.1.1	2.4.1.1.1	Permissible Installation	
3.9.1.1.2	2.4.1.1.2	Requirements for Common Connections for Two or More Valves	
3.9.1.2	2.4.1.2	I hreaded Connections	
3.9.1.3	2.4.1.3	Prohibited Installations	
3.9.1.4	2.4.1.4	Use of Shutoff Valves Prohibited	
3.9.1.5	2.4.1.5	Pressure Relief Valve Discharge Piping	
3.9.1.6	2.4.1.6	Temperature and Pressure Relief Valves	
3.9.2	2.4.2	Pressure Relief Valve Requirements for Steam Heating Bollers	
3.9.3	2.4.3	Temperature and Procesure Delief Value Dequirements for Detable Water Lectors	
3.9.4	2.4.4		
3.9.4.1	2.4.4.1		
3.9.4.2	2.4.4.2	Permissible installations Permissible installations Permissible installations	
3.9.4.3	2.4.4.3	Threaded Connections	
3.9.4.4 2.0.4.5	2.4.4.4	Prohibited Installations	
3.9.4.5	2.4.4.5	Lico of Shutoff Valves Prohibited	
3.9.4.0	2.4.4.0	Temperature and Pressure Relief Valve Discharge Pining	
3.9.4.7	2.4.4.7	Pressure Relief Valves for Tanks and Heat Exchangers	
3.9.5 1	2.4.5	Steam to Hot-Water Supply	
3952	2452	High Temperature Water to Water Heat Exchanger	
3953	2453	High Temperature Water to Steam Heat Exchanger	
0.0.0.0	2.1.0.0		
Part 1 Section	4		
4.5	2.5	Pressure Vessel Pressure Relief Devices	
4.5.1	2.5.1	Device Requirements	
4.5.2	2.5.2	Number of Devices	
4.5.3	2.5.3	Location	
4.5.4	2.5.4	Capacity	
4.5.5	2.5.5	Set Pressure	
4.5.6	2.5.6	Installation and Discharge Piping Requirements	
4.7.3	2.5.7	Temperature and Pressure Relief Devices For Hot Water Storage Tanks	

Part 1 Section 5		
5.3	2.6	Piping System Pressure Relief Devices
5.3.1	2.6.1	Device Requirements
5.3.2	2.6.2	Number of Devices
5.3.3	2.6.3	Location
5.3.4	2.6.4	Capacity
5.3.5	2.6.5	Set Pressure
5.3.6	2.6.6	Inlet and Discharge Piping Requirements

Part 1 Supplement 2 = Part 4 Supplement 1 Pressure Relief Valves on the Low Pressure Side of Steam Pressure-Reducing Valves

S2.1	S1.1	Scope		
S2.2	S1.2	Pressure Relief Valve Capacity		
S2.3	S1.3	Calculation of Pressure Relief Valve Relieving Capacity		
Table S2.3-a	Table S1.3-a	Capacity of Saturated Steam, in Ib./hr., per sq. in. of Pipe Area		
Table S2.3M-a	Table S1.3M-a	Capacity of Saturated Steam, in kg/hr., per sq. mm of Pipe Area		
Table S2.3-b	Table S1.3-b	Capacity of Saturated Steam, in Ib./hr., per sq. in. of Pipe Area		
Table S2.3M-b	Table S1.3M-b	Capacity of Saturated Steam, in kg/hr., per sq. mm of Pipe Area		
Table S2.3-c	Table S1.3-c	Capacity of Saturated Steam, in Ib./hr., per sq. in. of Pipe Area		
Table S2.3M-c	Table S1.3M-c	Capacity of Saturated Steam, in kg/hr., per sq. mm of Pipe Area		
S2.4	S1.4	Steam Flow When Coefficients Are Not Known		
S2.5	S1.5	Two Stage Pressure-Reducing Valve Stations		
Part 1 Suppleme	ent 5 Installation	of Thermal Fluid Heaters		
S5.7	2.3	Overpressure Protection for Thermal Fluid Heaters		
S5.7.1	2.3.1	General Requirements		
S5.7.2	2.3.2	Pressure Relief Devices		
S5.7.3	2.3.3	Location		
S5.7.4	2.3.4	Capacity		
S5.7.5	2.3.5	Set Pressure		
S5.7.6	2.3.6	Installation		

NBIC Cross Reference				
	NBIC-2015 Part 2 Paragraphs Duplicated in Part 4			
NBIC 2015	New Part 4	Part 4 Heading		
Section 2	T			
2.2.12.7 f)	2.3	Overpressure Protection for Thermal Fluid Heaters		
2.5	3.1	Scope		
2.5.1	3.2	General		
2.5.2	3.2.1	Pressure Relief Device Data		
2.5.3	3.2.2	Inspection Requirements for Device Condition		
2.5.4	3.2.3	Inspection Requirements for Installation Condition		
2.5.5	3.2.4	Additional Inspection Requirements		
2.5.5.1a)	3.2.4.1	Power Boilers		
2.5.5.1 b)	3.2.4.2	Hot-Water Heating Boilers and Water Heaters		
2.5.5.2	3.2.4.3	Pressure Vessles and Piping		
2.5.5.3	3.2.4.4	Rupture Disks		
2.5.6	S4.4	Packaging, Shipping and Transportation of Pressure Relief Devices		
2.5.7	3.2.5	Testing and Operational Inspection of Pressure Relief Devices		
2.5.7f)	3.2.5.1	Corrective Action		
2.5.7g) and 2.5.7h)	3.2.5.2	Valve Adjustments		
2.5.8	3.2.6	Recommended Inspection and Test Frequencies for Pressure Relief Devices		
2.5.8 g)	3.2.6.1	Establishment of Inspection and Test Intervals		
2.5.8 h)	3.2.6.2	Establishment of Service Intervals		
Part 2 Supplement Boiler or Pressure	8 = Part 4 Su Vessel Opera	pplement 2 Pressure Differential Between Pressure Relief Valve Setting and ting Pressure		
S8.1	S2.1	Scope		
S8.2	S2.2	Hot Water Heating Boilers		
S8.3	S2.3	Steam Heating Boilers		
S8.4	S2.4	Power Boilers		
S8.5	S2.5	Pressure Vessels		

## **NBIC Cross Reference**

## NBIC-2015 Part 3 Paragraphs moved to Part 4

NB	IC	20	15

New Part 4 Heading

Part 3 Section 1		
1.2 d)	4.2.2	Construction Standards for Pressure Relief Devices
1.4	1.3.1	Additional definitions relating to Pressure Relief Devices
1.7	4.8	Accreditation of "VR" Repair Organizations
1.7.1	4.8.1	Scope
1.7.2	4.8.2	Jurisdictional Participation
1.7.3	4.8.3	Issuance and Renewal of "VR" Certificate of Authorization
1.7.3.1	4.8.3.1	General
1.7.3.2	4.8.3.2	Issuance of Certificate
1.7.4	4.8.4	Use of the "VR" authorization
1.7.4.1	4.8.4.1	Technical Requirements
1.7.4.2	4.8.4.2	Stamp Use
1.7.5	4.8.5	Quality System
1.7.5.1	4.8.5.1	General
1.7.5.2	4.8.5.2	Written Description
1.7.5.3	4.8.5.3	Maintenance of Controlled Copy
1.7.5.4	4.8.5.4	Outline of Requirements of a Quality System
Part 3 Section 4	1	
4.5	4.6	Pressure Relief Valve Performance Testing and Testing Equipment
4.5.1	4.6.1	Test Medium and Testing Equipment
4.5.2	4.6.2	Owner-User ASME Code Section VIII Steam Testing
4.5.3	4.6.3	Lift Assist Testing
4.5.4	4.6.4	Pressure Test of Parts
Part 3 Section 5	5	
Figure 5.7.5-e	Figure 4.7.2-a	Required Markings for Repair of ASME/National Board "V, "UV," and "HV" -Stamped Pressure Relief Valves
Figure 5.7.5-g	Figure 4.7.2-b	Required Markings for Repair of Nuclear Pressure Relief Valves
5.12	4.7	Stamping Requirements for Pressure Relief Devices
5.12.1	4.7.1	Nameplates
5.12.2	4.7.2	Repair Nameplate
5.12.3	4.7.3	Changes to Original Pressure Relief Valve Nameplate Information
5.12.4	4.7.4	Test Only Nameplate
5.12.5	4.7.5	Replacement of Illegible or Missing Nameplates
		•
Part 3 Supplem	ent 7 Requirem	ents for Repairs to Pressure Relief Devices
S7.1	4.1	Scope
S7.2	4.2	General Requirements
S7.2 d)	4.2.1	VR Repair
S7.3	4.4.7	Weld Repairs to Pressure Relief Valve Parts by an "R" Stamp Holder

S7.4	4.3	Materials for Pressure Relief Valve Repair		
S7.5	4.3.1	Replacement Parts for Pressure Relief Devices		
S7.6	4.2.4	Initial Adjustments to Pressure Relief Valves		
S7.7	4.8.6	Field Repair		
S7.8	4.8.6.1	Audit Requirements		
S7.9	4.8.6.2	Use of Owner or User Personnel		
S7.10	Supplement 3	Guide to Jurisdictions for Authorization of Owners or Users to Make Adjustments to Pressure Relief Valves		
S7.10.1	S3.1	General		
S7.10.2	S3.2	Training		
S7.10.3	S3.3	Documentation		
S7.10.4	S3.4	Quality System		
S7.10.5	S3.5	External Adjustments		
S7.10.6	S3.6	Repairs		
S7.11	4.9	Training and Qualification of Personnel		
S7.11.2	4.9.1	Contents of Training Program		
S7.11.3	4.9.2	Qualification of Personnel		
S7.11.4	4.9.3	Annual Review of Qualification		
S7.12	4.4	Welding for Pressure Relief Valves		
S7.12.1	4.4.1	Welding Procedure Specifications		
S7.12.2	4.4.2	Standard Welding Procedure Specifications		
S7.12.3	4.4.3	Performance Qualification		
S7.12.4	4.4.4	Welding Records		
S7.12.5	4.4.5	Welders' Identification		
S7.12.6	4.4.6	Welders' Continuity		
S7.13	4.5	Heat Treatment		
S7.13.1	4.5.1	Preheating		
S7.13.2	4.5.2	Postweld Heat Treatment		
S7.14	Supplement 4	Recommended Procedures for Repairing Pressure Relief Valves		
S7.14.1	S4.1	Introduction		
S7.14.2	S4.2	Spring-loaded Pressure Relief Valves		
S7.14.3	S4.3	Pilot Operated Pressure Relief Valves		
Part 3 Supplem	ent 8 = Part 4 S	Supplement 5 Recommended Guide for the Design of a Test System		
for Pressure Re	elief Devices in	Compressible Fluid Service		
S8.1	S5.1	Scope		
S8.2	S5.2	General		
S8.3	S5.3	Test System Description		
Figure S8.3-a	Figure S5.3-a	Schematic of Test Equipment with Accumulator		
Figure S8.3-b	Figure S5.3-b	Schematic of Test Equipment without Accumulator		
S8.4	S5.4	Test Vessel Sizing Data		
Figure S8.4-a	Figure S5.4-a	Recommended Test Vessel Size, Test Medium: Steam		
Figure S8.4-b	Figure S5.4-b	Recommended Test Vessel Size, Test Medium: Air or Gas		
Part 3 Supplem Authorization a	Part 3 Supplement 9 = Part 4 Supplement 6 Procedures to Extend the "VR" Certificate of Authorization and Stamp to ASME "NV" Stamped Pressure Relief Devices			

S9.1	S6.1	Introduction
S9.2	S6.2	Administrative Procedures
S9.3	S6.3	General Rules