

DIRECTORY OF ENFORCEMENT OFFICIALS

UNITED STATES

Alabama

Edward Wiggins, Jr., Chief Elevator/Boiler Inspector
Department of Labor
649 Monroe Street
Montgomery, AL 36131
Telephone — 334.956.7412
Email — edward.wiggins@labor.alabama.gov

Alaska

Scott Lane, Chief Boiler Inspector
Department of Labor & Workforce Development
Mechanical Inspection Section
1251 Muldoon RD, Ste 113
Anchorage, AK 99504
Telephone — 907.269.4934
Email — scott.lane@alaska.gov

Arizona

Steve Harder, Chief Boiler Inspector
Industrial Commission of Arizona
Department of Safety and Health
Boiler Safety Section
P.O. Box 19070
Phoenix, AZ 85005-9070
Telephone — 602.542.1648
Email — steve.harder@azdosh.gov

Arkansas

David Sullivan, Chief Boiler Inspector
Arkansas Department of Labor
Boiler Inspection Division
900 W. Capitol Ave, Suite 400
Little Rock, AR 72201
Telephone — 501.682.4553
Email — david.sullivan@arkansas.gov

California

Gary Teel, Acting Principal Engineer
Department of Industrial Relations
Division of Industrial Safety & Health
Pressure Vessel Unit
2 MacArthur Place, Suite 700
Santa Ana, CA 92707
Telephone — 714.567.7208
Email — gteel@dir.ca.gov

Colorado

Bob Becker, Chief Boiler Inspector
Department of Labor & Employment
Division of Oil & Public Safety - Boiler Section
633 17th Street, Suite 500
Denver, CO 80202
Telephone — 303.514.2140
Email — robert.becker@state.co.us

Connecticut

Office of the State Building Inspector
Division of Construction Services
Department of Administrative Services
Bureau of Boilers
165 Capitol Avenue, Room 266
Hartford, CT 06106
Telephone — 860.713.5880

Delaware

Steven Van Slavens, Senior Boiler Inspector
Department of Natural Resources & Environmental Control
Boiler Safety Group
391 Lukens Drive
New Castle, DE 19720
Telephone — 302.395.2500
Email — steve.vanslavens@delaware.gov

Florida

David Warburton, Chief Boiler Inspector
Bureau of Fire Prevention
Division of the State Fire Marshal
200 E. Gaines Street
Tallahassee, FL 32399
Telephone — 850.413.3171
Email — david.warburton@myfloridacfo.com

Georgia

Benjamin Crawford, Chief Inspector
Office of Insurance & Safety Fire Commissioner
2 Martin Luther King Jr. Drive
West Tower, Suite 920
Atlanta, GA 30334
Telephone — 404.463.0726
Email — bcrawford@oci.ga.gov

Hawaii

Julius Dacanay, Manager & Chief Boiler Inspector
Department of Labor & Industrial Relations
Division of Occupational Safety & Health Bureau
Boiler & Elevator Inspection Branch
830 Punchbowl Street, Room 425
Honolulu, HI 96813
Telephone — 808.586.9144
Email — julius.j.dacanay@hawaii.gov

Idaho

Division of Building Safety
Industrial Safety Section
1310 Hamilton Road
Mountain Home, ID 83647
Telephone — 208.587.3860

Illinois

Patrick Polick, Chief Inspector
Office of the State Fire Marshal
Division of Boiler & Pressure Vessel Safety
1035 Stevenson Drive
Springfield, IL 62703
Telephone — 217.782.2696
Email — patrick.polick@illinois.gov

Indiana

Roger Boillard, Chief Boiler & Pressure Vessel Inspector
Department of Homeland Security
Division of Fire & Building Safety
Boiler & Pressure Vessel Safety
402 West Washington Street, Room 241
Indianapolis, IN 46204
Telephone — 317.232.1927
Email — rboillard@dhs.in.gov

Iowa

Robert Bunte, Chief Boiler Inspector
Iowa Workforce Development
Division of Labor Services
1000 East Grand Avenue
Des Moines, IA 50319-0209
Telephone — 515.725.5609
Email — robert.bunte@iwd.iowa.gov

Kansas

Robert Stimson, Acting Chief Boiler Inspector
Office of the State Fire Marshall
800 S.W. Jackson Street, Suite 104
Topeka, KS 66612
Telephone — 785.296.3401
Email — rob.stimson@ks.gov

Kentucky

Mark Jordan, Chief Boiler Inspector
Department of Housing, Buildings & Construction
Boiler Inspection Section
500 Mero Street, First Floor
Frankfort, KY 40601-1987
Telephone — 502.573.1708
Email — mark.jordan@ky.gov

Louisiana

Donnie LeSage, District Chief
Louisiana State Fire Marshal Office
Mechanical Safety Section
8181 Independence Boulevard
Baton Rouge, LA 70806
Telephone — 800.256.5452
Email — donnie.lesage@la.gov

Maine

John Burpee, Chief Boiler, Elevator & Tramway Inspector
Office of Licensing and Registration
35 State House Station
Augusta, ME 04333-0035
Telephone — 207.624.8546
Email — john.h.burpee@maine.gov

Maryland

Steven Noonan, Chief Boiler Inspector
Department of Labor, Licensing & Regulation
Division of Labor & Industry
Safety Inspections Unit
10946 Golden West Drive, Suite 160
Hunt Valley, MD 21031
Telephone — 410.767.2333
Email — steven.noonan@maryland.gov

Massachusetts

Edward Kawa, Jr., Chief of Engineering Inspections
Department of Fire Services
One State Road, P.O. Box 1025
Stow, MA 01775-1025
Telephone — 978.567.3781
Email — edward.kawa@state.ma.us

Michigan

David Stenrose, Assistant Chief, Boiler Division
Licensing & Regulatory Affairs
Bureau of Construction Codes
P.O. Box 30254
Lansing, MI 48909
Telephone — 517.241.9334
Email — stenrosed@michigan.gov

Minnesota

Howard Berny, Chief Boiler Inspector
Minnesota Department of Labor & Industry
Construction Codes & Licensing Division
443 Lafayette Road N
St. Paul, MN 55155-4304
Telephone — 651.284.5544
Email — howard.j.berny@state.mn.us

Mississippi

William Anderson, Director/Chief Boiler Inspector
Mississippi Department of Health
Boiler & Pressure Vessel Safety Branch
P.O. Box 1700
Jackson, MS 39215-1700
Telephone — 601.991.6040
Email — william.anderson@msdh.ms.gov

Missouri

Timothy Boggs, Deputy Chief
Division of Fire Safety
Boiler and Pressure Vessel Safety Unit
P.O. Box 844
Jefferson City, MO 65102
Telephone — 573.751.8708
Email — tim.boggs@dfs.dps.mo.gov

Montana

Brent Ricks, Program Manager
Boiler, Elevator, Weights and Measures
DLI BSD BCB
301 South Park Avenue
Helena, MT 59601
Telephone — 406.841.2321
Email — BRicks@mt.gov

Nebraska

Christopher Cantrell, State Fire Marshal,
Chief Boiler Inspector
State Fire Marshal Agency
246 S. 14th Street
Lincoln, NE 68508
Telephone — 402.471.9471
Email — christopher.cantrell@nebraska.gov

Nevada

Jeff Oliver, Safety Specialist
Department of Business and Industry
Division of Industrial Relations
4600 Kietzke Lane, Suite F-151
Reno, NV 89502
Telephone — 775.688.3762
Email — jeff.oliver@dir.nv.gov

New Hampshire

Brian Oliver, Chief Boiler Inspector
New Hampshire Department of Labor
Hugh J. Gallen State Office Park South
P.O. Box 2076
Concord, NH 03302-2076
Telephone — 603.271.7599
Email — brian.oliver@dol.nh.gov

New Jersey

Milton Washington, Deputy Director
Mechanical Inspection Bureau of Boiler & Pressure Vessel
Compliance
Department of Labor & Workforce Development
P.O. Box 392
Trenton, NJ 08625-0392
Telephone — 609.292.2921
Email — milton.washington@dol.nj.gov

New Mexico

J.T. Baca, Mechanical Bureau Chief
Regulation & Licensing Department
P.O. Box 25101
Santa Fe, NM 87505
Telephone — 505.490.2997

New York

Matthew Sansone, Chief Boiler Inspector
New York State Department of Labor
Boiler Safety Bureau
State Campus, Building 12, Room 165
Albany, NY 12240-0102
Telephone — 518.457.2722
Email — matthew.sansone@labor.ny.gov

North Carolina

Donald Kinney, Bureau Chief
Department of Labor
Boiler Safety Bureau
1101 Mail Service Center
Raleigh, NC 27699-1101
Telephone — 919.707.7918
Email — don.kinney@labor.nc.gov

North Dakota

Trevor Seime, Chief Boiler Inspector
Department of Environmental Quality
Boiler Inspection Program
4201 Normandy Street
Bismarck, ND 58503-1324
Telephone — 701.220.4723
Email — tsseime@nd.gov

Ohio

John Sharier, Chief Boiler Inspector
Ohio Department of Commerce
Division of Industrial Compliance – Boilers
P.O. Box 4009
Reynoldsburg, OH 43068-9009
Telephone — 614.644.2541
Email — john.sharier@com.state.oh.us

Oklahoma

Tommy Granneman, Chief Boiler Inspector
Department of Labor
Safety Standards Division
3017 N. Stiles, Suite 100
Oklahoma City, OK 73105
Telephone — 405.521.6100
Email — tommy.granneman@labor.ok.gov

Oregon

Tom Clark, Chief Boiler Inspector
Department of Consumer & Business Services
Building Codes Division
P.O. Box 14470
Salem, OR 97309-0404
Telephone — 503.373.7499
Email — thomas.g.clark@dcbs.oregon.gov

Pennsylvania

William Ross, Boiler Inspector Director
Department of Labor & Industry
Boiler Division
651 Boas Street, Room 1606
Harrisburg, PA 17121
Telephone — 717.772.2443
Email — wross@pa.gov

Rhode Island

Jose Taveras, Chief Boiler & Pressure Vessel Inspector
Department of Labor & Training
Division of Occupational Safety
P.O. Box 20157
Cranston, RI 02920-0942
Telephone — 401.462.8018
Email — jose.taveras@dlt.ri.gov

South Carolina

Ronald Spiker, Chief Boiler Inspector
Department of Labor, Licensing, & Regulation
Boiler Safety Program
P.O. Box 11329
Columbia, SC 29211-1329
Telephone — 803.608.1630
Email — ronndj@gmail.com

South Dakota

Aaron Lorimor, Chief Boiler Inspector
 State Fire Marshal's Office
 118 West Capitol Avenue
 Pierre, SD 57501
 Telephone — 605.773.3562
 Email — aaron.lorimor@state.sd.us

Tennessee

Christopher O'Guin, Chief Boiler Inspector
 Department of Labor & Workforce Development
 Boiler Inspection Unit
 220 French Landing Drive, 2B
 Nashville, TN 37243-1002
 Telephone — 615.571.7066
 Email — christopher.oguin@tn.gov

Texas

Robby Troutt, Chief Boiler Inspector
 Texas Department of Licensing & Regulation
 Boiler Program
 P.O. Box 12157
 Austin, TX 78711
 Telephone — 512.638.2727
 Email — rob.troutt@tdlr.texas.gov

Utah

Rick Sturm, Deputy Division Director
 Utah Labor Commission
 160 East 300 South, Third Floor
 Salt Lake City, UT 84114
 Telephone — 801.326.7266
 Email — rsturm@utah.gov

Vermont

Department of Public Safety
 Division of Fire Safety
 1311 U.S. Route 302, Suite 600
 Barre, VT 05641
 Telephone — 802.479.7561

Virginia

Edward Hilton, Director & Chief Inspector
 Department of Labor & Industry
 Boiler & Pressure Vessel Safety Division
 Main Street Centre
 600 E. Main Street, Suite 207
 Richmond, VA 23219
 Telephone — 804.786.3262
 Email — ed.hilton@doli.virginia.gov

Washington

Michael Carlson, Chief Boiler/Pressure Vessel Inspector
 Department of Labor & Industries
 Boiler Program
 7273 Linderson Way SW (Tumwater)
 P.O. Box 44410
 Olympia, WA 98504-4410
 Telephone — 360.902.5270
 Email — camx235@lni.wa.gov

West Virginia

John Porcella, Chief Boiler Inspector
 Division of Labor, Safety Section
 State Capitol Complex - Building 3, Room 200
 Charleston, WV 25305
 Telephone — 304.415.6835
 Email — john.f.porcella@wv.gov

Wisconsin

Department of Safety & Professional Services
 Division of Industry Service
 P.O. Box 510863
 New Berlin, WI 53151
 Telephone — 414.303.8575

Wyoming

Department of Workforce Services
 Workers' Safety — OSHA
 Cheyenne Business Center
 1510 East Pershing Boulevard
 Cheyenne, WY 82002
 Telephone — 307.777.7786

CANADA**Alberta**

Djordje Sronic, Chief Inspector & Administrator
 ABSA, The Pressure Equipment Safety Authority
 9410-20 Avenue NW
 Edmonton, Alberta
 T6N 0A4 Canada
 Telephone — 780.437.9100
 Email — sronic@absa.ca

British Columbia

Rajesh Kamboj, Senior Safety Officer
 Technical Safety BC
 Suite 600 - 2889 East 12th Ave
 Vancouver, British Columbia
 V5M 4T5 Canada
 Telephone — 866.566.7233
 Email — Rajesh.Kamboj@technicalsaftybc.ca

Manitoba

Ryan DeLury, Program Manager
 Office of the Fire Commissioner
 401 York Avenue
 Winnipeg, Manitoba
 R3C 0P8 Canada
 Telephone — 204.945.3373
 Email — ryan.delury@gov.mb.ca

New Brunswick

Eben Creaser, Chief Boiler Inspector
 Department of Public Safety
 Technical Inspection Services
 P.O. Box 6000
 Fredericton, New Brunswick
 E3B 5H1 Canada
 Telephone — 506.462.5058
 Email — eben.creaser@gnb.ca

Newfoundland and Labrador

David Brockerville, Director/Chief Boiler Inspector
 Engineering & Inspection Services
 Governmental Services NL
 P.O. Box 8700, 149 Smallwood Drive
 Mount Pearl, Newfoundland & Labrador
 A1B 4J6 Canada
 Telephone — 709.729.2747
 Email — davidbrockerville@gov.nl.ca

Northwest Territories

Matthias Mailman, Chief Boiler Inspector
 Government of Northwest Territories
 Public Works & Services
 P.O. Box 1320
 Yellowknife, Northwest Territories
 X1A 2L9 Canada
 Telephone — 867.920.3257
 Email — matthias_mailman@gov.nt.ca

Nova Scotia

Donald Ehler, Chief Inspector, Boilers & Pressure Equipment
 Labour and Advanced Education
 Boiler & Pressure Vessel Section
 103 Garland Avenue, 3rd Floor
 Dartmouth, Nova Scotia
 B3B 0K5 Canada
 Telephone — 902.424.3200
 Email — donald.ehler@novascotia.ca

Nunavut Territory

Department of Community and Government Services
 Bag 200
 Cambridge Bay, Nunavut
 X0B 0C0 Canada
 Telephone — 867.983.4151

Ontario

Caslav Dinic, Technical Services Supervisor BPV
 Technical Standards & Safety Authority
 345 Carlingview Drive
 Toronto, Ontario
 M9W 6N9 Canada
 Telephone — 416.734.3452
 Email — cdinic@tssa.org

Prince Edward Island

Steven Townsend, Chief Boiler Inspector
 Department of Agriculture and Land
 P.O. Box 2000, 31 Gordon Drive
 Charlottetown, Prince Edward Island
 C1A 7N8 Canada
 Telephone — 902.368.5567
 Email — srtownsend@gov.pe.ca

Québec

Aziz Khssassi, M.ing., BPV Chief Inspector
 Bureau d'expertise et d'homologation en équipement sous-
 pression
 Régie du bâtiment du Québec
 255, boul. Crémazie Est, 2e étage
 Montréal, Québec
 H2M 1L5 Canada
 Telephone — 514.873.0927
 Email — aziz.khssassi@rbq.gouv.qc.ca

Saskatchewan

Christopher Selinger, VP Operations and Chief Inspector
 Technical Safety Authority of Saskatchewan
 2202 2nd Avenue
 Regina, Saskatchewan
 S4R 1K3 Canada
 Telephone — 306.798-7111 or 306.798.7112
 Email — chris.selinger@tsask.ca

Yukon Territory

Government of Yukon
 Public Safety Branch
 P.O. Box 2703, 2071 Second Avenue
 Whitehorse, Yukon Territory
 Y1A 2C6 Canada
 Telephone — 867.667.5765

CITIES, COUNTIES, AND TERRITORIES OF THE UNITED STATES**Albuquerque, New Mexico**

Planning Department
 Building & Safety Division
 600 Second Street, N.W.
 Albuquerque, NM 87102
 Telephone — 505.924.3320

Buffalo, New York

Department of Permit & Inspection Services
 65 Niagara Square, Room 313
 Buffalo, NY 14202
 Telephone — 716.851.4959

Chicago, Illinois

Thomas Maher, Acting Chief Boiler Inspector
 Department Of Buildings
 Boiler Inspection Bureau
 2045 W.Washington Blvd., 2nd Floor
 Chicago, IL 60612
 Telephone — 312.743.7284
 Email — thomas.maher@cityofchicago.org

Detroit, Michigan

Aijalon Denham, Chief Boiler Inspector
 Department of Buildings and Safety Engineering
 Coleman A.Young Municipal Center
 2 Woodward, Suite 408
 Detroit, MI 48226
 Telephone — 313.628.2433
 Email — denhama@detroitmi.gov

Los Angeles, California

Kenneth Ravello, Senior Safety Engineer Pressure Vessel
 Department of Building & Safety
 221 N. Figueroa St., Suite 800
 Los Angeles, CA 90012
 Telephone — 213.202.9852
 Email — kenneth.ravello@lacity.org

Miami, Florida

Paul Hernandez, Chief Mechanical Inspector
 City of Miami Building Department
 Inspection Services/Mechanical Section
 P.O. Box 330708
 Miami, FL 33233-0708
 Telephone — 305.416.1136
 Email — phernandez@miamigov.com

Miami-Dade County, Florida

Miami-Dade County Building Department
 Herbert S. Saffir Permitting & Inspection Center
 11805 SW 26 Street (Coral Way), Room 137
 Miami, FL 33175
 Telephone — 786.315.2082

Milwaukee, Wisconsin

Adrian Gibbs, Boiler Inspector
 Department of Neighborhood Services
 841 North Broadway, 10th Floor
 Milwaukee, WI 53202-3613
 Telephone — 414.286.8001
 Email — adgibbs@milwaukee.gov

New Orleans, Louisiana

Rudy Hardouin, Chief Mechanical Inspector
 Department of Safety & Permits
 Mechanical Inspection Bureau
 1300 Perdido Street, Room 7E05
 New Orleans, LA 70112
 Telephone — 504.658.7153

New York, New York

William McGivney, Deputy Director - Boilers
 Department of Buildings
 280 Broadway, 4th Floor
 New York, NY 10007
 Telephone — 212.393.2491
 Email — wmcgivney@buildings.nyc.gov

Omaha, Nebraska

Thomas Phipps, Chief Mechanical Inspector
 Planning, Permits, & Inspections Division
 1819 Farnam Street, Room 1110
 Omaha, NE 68183-1100
 Telephone — 402.444.5150, ext. 2148

Puerto Rico

Edgar Hernandez
 Commonwealth of Puerto Rico
 Department of Labor & Human Resources
 P.R. Occupational Safety & Health Administration (PR OSHA)
 Boiler & Elevator Division
 505 Muñoz Rivera Avenue
 Hato Rey, Puerto Rico 00918
 Telephone — 787.754.2172, ext. 3335

Seattle, Washington

Steven Frazier, Chief Pressure Systems Inspector
 Department of Construction and Inspections
 700 Fifth Avenue, Suite 2000 (98104)
 P.O. Box 34019
 Seattle, WA 98124-4019
 Telephone — 206.684.8459
 Email — steve.frazier@seattle.gov

Spokane, Washington

Ed Kimbrel, Boiler Inspector
 Building Department
 808 West Spokane Falls Boulevard
 Spokane, WA 99201
 Telephone — 509.625.6313
 Email — ekimbrel@spokanecity.org

St. Louis, Missouri

Department of Public Safety
 Trades Group
 Room 425, City Hall
 1200 Market Street
 St. Louis, MO 63103
 Telephone — 314.622.3375

Washington, D.C.

Keith Jones, Boiler Inspector
 DCRA/Suite E-400
 1100 4th Street S.W.
 Washington, D.C. 20024
 Telephone — 202.442.9557